

PORTABLE LADDER WITH WORKING PLATFORM
COMPLIANT WITH EN 131.7



+ AEROSTEP

- Working platform in compliance with EU Standard EN 131.7.
- Quick set-up time less than 3 minutes
- Fold-down pole grip available in different lengths with optional wall wheels
- Integrated clam cleats and rope for securing stability legs
- Detachable stability legs in compliance with EU Standard EN 131.7
- Fitted to the pole grip in a X-shape configuration. The legs can withstand a lateral force of up to 30 Nm
- Rope operated extension ladder available in aluminium or composite
- Foot-operated integrated ladder stabiliser/leveller (with side transport wheels for all models up to 3.4 m length folded)

SPECIAL FEATURES

- Stabiliser/leveller for uneven ground
- Optional load spreading feet and ladder transport dolly (available for all models)




MADE IN FRANCE

Find our products on www.audinnov.fr

AUDINNOV - 3 ZA du Pasquier - 71800 Varennes-sous-Dun
FRANCE - +33 (0)3 85 28 01 41 - contact@audinnov.fr

audinnov[®]
SAFETY FIRST

Because we care!

PORTABLE LADDER WITH WORKING PLATFORM
COMPLIANT WITH EN 131.7



Pole grip available in different lengths :
200-300-400-500 mm

Ergonomic and secure working platform

Rope-operated double section extension ladder

Integrated clam cleats



Set of removable stability legs
available in 2 or 3 sections
depending on length

Load spreading feet

Stabiliser/leveller equipped with 2 side wheels for all models up to 3.4 m folded


Non-contractual information V EN 073 - AUDINNOV

PORTABLE LADDER WITH WORKING PLATFORM
COMPLIANT WITH **EN 131.7**

WORKING PLATFORM



Open



Closed

CLAM CLEATS

Integrated in stiles



STABILITY X-LEGS

JXE MONOBLOC FOR AEROSTEP
up to 3,4 m length folded



JXE - TRIPLEX 3.7M LENGTH FOLDED OR ABOVE



TRANSPORT BAG



FOLD-DOWN POLE GRIP REFERENCES

200, 300, 400 or 500 mm in length

RS500W

Without wheels (ref.802100)
With wheels (ref.802021)



RS300M

Rubber cushioned supports - Special insulators (ref.802101)



RS300W

Road/traffic sign version
(ref.802033)



RS200H

Special H beams
(ref.802102)



RS500V|T01

With tool tray
(ref.802133)



STABILISER/LEVELLER



LOAD SPREADING FEET



TRANSPORT WHEELS



Ladder transport dolly
(ref.807001)



Wheels Ø 20mm
(ref.802151)



Wheels Ø 25mm
(ref.802044)

PORTABLE LADDER WITH WORKING PLATFORM COMPLIANT WITH EN 131.7

Standard	Product Code ALU	Product Code Composite	Working Hgt Max	Weight (w/o legs)	Length folded	Platform Hgt Mini	Platform Hgt maxi	Mandatory Stability legs
NFE 85-211 & EN 131.7	301305		4,30 m	18 kg	2,50 m	1,50 m	2,30 m	JXE Monobloc Ref 802059
	301307	301107	5,20 m	22 kg	3,10 m	1,90 m	3,20 m	JXE monobloc Ref 802058
	301308	301108	5,80 m	24 kg	3,40 m	2,20 m	3,80 m	JXE monobloc Ref 802059
	301309	301109	6,30 m	29 kg	3,70 m	2,50 m	4,30 m	JXE triplex 3 m Ref 802038
	301310	301110	6,90 m	32 kg	4 m	2,80 m	4,90 m	JXE triplex 3 m Ref 802038
NFE 85-211	301311	301111	7,40 m	35 kg	4,30 m	3,10 m	5,40 m	JXE triplex 3 m Ref 802038
	301312	301112	8 m	38 kg	4,60 m	3,30 m	6 m	JXE triplex 3 m Ref 802038



Non-contractual information V EN 073 - AUDINNOV


MADE IN FRANCE

Find our products on www.audinnov.fr

audinnov[®]
SAFETY FIRST