

**DOUBLE & TRIPLE ROPE OPERATED EXTENSION LADDER
FOR LOW VOLTAGE LIVE WORKING <1000V /1500V
COMPLIANT WITH EN 50-528 : 2010**



THE+ VALUE

- High visibility composite stiles
- Robust and lightweight construction
- Crimped rung technology
- Flat «D» shaped aluminum rungs with 0.3 mm deep grooves
- Self-locking aluminium rung lock system
- Side extension rope facing the operator Ø 10mm, strenght 1600 daN
- Non-slip rubber feet with wide ridges
- Friction-free nylon pads
- Rung spacing : 250 mm

AVAILABLE ACCESSORIES

- Front ladder wheels Ø 100 mm
- Cam cleats and rope to secure the ladder to the post
- Rubber-cushioned V-shaped pole leaning device
- Levelling device
- Articulated swivel shoes



Find all our products on www.audinnov.fr

AUDINNOV - 3 ZA du Pasquier - 71800 Varennes-sous-Dun
FRANCE - +33 3 85 28 01 41 - contact@audinnov.fr

audinnov®
SAFETY FIRST

Because we care!

**DOUBLE & TRIPLE ROPE OPERATED EXTENSION LADDER
FOR LOW VOLTAGE LIVE WORKING <1000V /1500V
COMPLIANT WITH EN 50-528 : 2010**



Self locking aluminium
rung lock system



Options: Pole leaning
device & front wheels

Ultragrip® ribbed crimped rung



Option: cam cleats and Ø 10.5 rope



Option: levelling device



Non-contractual information et pictures - Modèle de fiche V 073 - AUDINNOV

**DOUBLE & TRIPLE ROPE OPERATED EXTENSION LADDER
FOR LOW VOLTAGE LIVE WORKING <1000V /1500V
COMPLIANT WITH EN 50-528 : 2010**

AVAILABLE ACCESSORIES


POLE LEANING DEVICE WITH
LASHING ROPE



FRONT WHEELS



STABILITY ROPE AND CAM CLEATS



LOAD DISTRIBUTION FEET



LEVELLING DEVICE



DOUBLE & TRIPLE ROPE OPERATED EXTENSION LADDER
FOR LOW VOLTAGE LIVE WORKING <1000V /1500V
 COMPLIANT WITH **EN 50-528 : 2010**

Product code	Length folded	Length extended	Weight	Number of rung	Intermediate length
DOUBLE SECTION EXTENSION LADDER					
V000211	3 m	5 m	18 kg	2 x 11	
V000213	3.50 m	6 m	20 kg	2 x 13	
V000214	3.75	6.5	27 kg	2 x 14	
V000215	4 m	7 m	25 kg	2 x 15	
V000217	4.5 m	8 m	28 kg	2 x 17	
V000218	4.75 m	8.5 m	30 kg	2 x 18	
V000219	5 m	9 m	36 kg	2 x 19	
V000220	5.25 m	9.5 m	38 kg	2 x 20	
V000221	5.5 m	10 m	39 kg	2 x 21	
V000222	5.75 m	10.5 m	41 kg	2 x 23	
V000227	7 m	12.5 m	47 kg	2 x 27	
TRIPLE SECTION EXTENSION LADDER					
V000311	3 m	7 m	28 kg	3 x 11	5 m
V000313	3.5 m	8.50 m	31 kg	3 x 13	6 m
V000414	3.75 m	8.75 m	35 kg	3 x 14	6.25 m
V000415	4 m	9.5 m	40 kg	3 x 15	6.75 m
V000416	4.25 m	10.25 m	45 kg	3 x 16	7.25 m
V000417	4.5 m	11 m	48 kg	3 x 17	7.75 m
V000423	6 m	14 m	75 kg	3 x 23	10 m

Non-contractual information et pictures - Modèle de fiche V 07.3 - AUDINNOV